Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	US-4514801-$.DID. OR US-4903234-$.DID. OR US-4989206-$.DID. OR US-5058003-$.DID. OR US-5517632-$.DID. OR US-5590300-$.DID. OR US-5974544-$.DID. OR US-6282670-$.DID. OR US-6327638-$.DID. OR US-6460122-$.DID. OR US-6704837-$.DID. or "5615353".pn. or "5664187".pn. or "20020188895".pn.	US-PGPUB; USPAT	OR	ON	2005/11/27 16:03
L2	14	US-4514801-$.DID. OR US-4903234-$.DID. OR US-4989206-$.DID. OR US-5058003-$.DID. OR US-5517632-$.DID. OR US-5590300-$.DID. OR US-5974544-$.DID. OR US-6282670-$.DID. OR US-6327638-$.DID. OR US-6460122-$.DID. OR US-6704837-$.DID. or "5615353".pn. or "5664187".pn. or "20020188895".pn.	US-PGPUB; USPAT	OR	ON	2005/11/27 16:03
L3	45	RAID and ((new or newly) near5 (generate or generated or generation) near5 stripe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L4	31	RAID and ((new or newly) near5 (calculate or calculated or calculating) near5 stripe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L5	46030	parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L6	1841679	table or list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L7	3622	(recent or recently) near5 read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L8	371	L6 same L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L9	96	("5530948" "6742081" "5812753" "6195727" "5720025" "5960169" "6230240" "5537567" "5548711" "5574855" "5600816" "5671385" "5884098" "6073218" "5666512" "5689678" "5727181" "5787459" "5799324" "5860091" "5933834" "6018778" "6092215" "6101615" "6219752" "6223301" "6219752" "6223301" "6237052" "5237658" "5341381" "5359611" "5379417" "5398253" "5448709" "5448719" "5463643" "5469548" "5471640" "5502836" "5506977" "5526482" "5546535" "5574851" "5598303" "5617530" "5623625" "5657468" "5737744" "5742752").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03

L10	110	L2 or L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L11	2	L8 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L12	0	L3 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L13	0	L4 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L14	74	L3 or L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L15	96	("5530948" "6742081" "5812753" "6195727" "5720025" "5960169" "6230240" "5537567" "5548711" "5574855" "5600816" "5671385" "5884098" "6073218" "5666512" "5689678" "5727181" "5787459" "5799324" "5860091" "5933834" "6018778" "6092215" "6101615" "6219752" "6223301" "6219752" "6223301" "6237052" "5237658" "5341381" "5359611" "5379417" "5398253" "5448709" "5448719" "5463643" "5469548" "5471640" "5502836" "5506977" "5526482" "5546535" "5574851" "5598303" "5617530" "5623625" "5657468" "5737744" "5742752").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L16	4	L9 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L17	7	RAID and ((new or newly) near5 (reconstruct or reconstructed or reconstructing) near5 stripe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L18	0	L8 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L19	76131	"711"/("114,154,15,4").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03

L20	1912	"711"/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L21	2016	"711"/154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L22	841	"711"/156.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L23	583	"711"/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L24	4974	L20 or L21 or L22 or L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L25	24	L8 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L26	24206449	@ad<"20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L27	22	L25 and L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L28	77	L3 or L4 or L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L29	2	L7 and L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L30	1601	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03

L31	31	L28 and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L32	1	L7 and L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:03
L34	0	77/114.ccls.	US-PGPUB	OR	ON	2005/11/27 16:10
L35	772	711/114.ccls.	US-PGPUB	OR	ON	2005/11/27 16:10
L36	395	26 and 35	US-PGPUB	OR	ON	2005/11/27 16:10
L37	1277	first adj request and second adj request	US-PGPUB	OR	ON	2005/11/27 16:11
L38	0	17 and 37	US-PGPUB	OR	ON	2005/11/27 16:11
L39	5	36 and 37	US-PGPUB	OR	ON	2005/11/27 16:12
L40	395	36 and 36	US-PGPUB	OR	ON	2005/11/27 16:12
L41	1	36 and 17	US-PGPUB	OR	ON	2005/11/27 16:13
L42	1059	stripe with (reconstruct or reconstructed or generate or generated)	US-PGPUB	OR	ON	2005/11/27 16:13
L43	3	37 and 42	US-PGPUB	OR	ON	2005/11/27 16:14
L44	1	36 and 43	US-PGPUB	OR	ON	2005/11/27 16:14

IEEE *Xplore* ©
RELEASE 2.1

Welcome United States Patent and Trademark Office

Results for "((raid <and> request <and> reconstruct)<in>metadata)"

✉ e-mail 🖨 printer friendly

Your search matched **1** of **1263585** documents.

A maximum of 100 results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((raid <and> request <and> reconstruct)<in>metadata)   〉〉

☐ Check to search only within this results set

Display Format: ⦿ Citation   ⦾ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

☐ 1. **Stonehenge: a fault-tolerant real-time network-attached storage device**
Tzi-cker Chiueh;
Hot Interconnects 9, 2001.
22-24 Aug. 2001 Page(s):57 - 61
Digital Object Identifier 10.1109/HIS.2001.946694

AbstractPlus | Full Text: PDF(432 KB)   IEEE CNF

Indexed by
⧉ Inspec˙

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results

BROWSE　　　SEARCH　　　IEEE XPLORE GUIDE　　　SUPPORT

Results for "((raid <and> request <and> reconstruct)<in>metadata)"

Your search matched **1** of **1263585** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail　🖶 printer friendly

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((raid <and> "second request" <and> reconstruct)<in>metadata)　　»

☐ Check to search only within this results set

Display Format:　　◉ Citation　　◉ Citation & Abstract

☐　1.　**Stonehenge: a fault-tolerant real-time network-attached storage device**
Tzi-cker Chiueh;
Hot Interconnects 9, 2001.
22-24 Aug. 2001 Page(s):57 - 61
Digital Object Identifier 10.1109/HIS.2001.946694

AbstractPlus | Full Text: PDF(432 KB)　IEEE CNF

Help　　Contact Us　　Privacy & Security　　IEEE.org

Indexed by
Ⅶ Inspec®

Results for "((raid <and> 'second request' <and> reconstruct)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail   🖨 printer friendly

» **Search Options**

View Session History

New Search

Modify Search

((raid <and> 'second request' <and> reconstruct)<in>metadata)   [»]

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
▉ Inspec˙

IEEE *Xplore* ©
RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results

| BROWSE | SEARCH | IEEE XPLORE GUIDE | SUPPORT |

Results for "((raid <and> request <and> reconstruct <and> parity)<in>metadata)"

☑ e-mail 🖨 printer friendly

Your search matched **1** of **1263585** documents.

A maximum of 100 results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**

View Session History

New Search

Modify Search

| ((raid <and> request <and> reconstruct <and> parity)<in>metadata) | » |

☐ Check to search only within this results set

Display Format: ⦿ Citation   ⦿ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

☐ 1. **Stonehenge: a fault-tolerant real-time network-attached storage device**
Tzi-cker Chiueh;
Hot Interconnects 9, 2001.
22-24 Aug. 2001 Page(s):57 - 61
Digital Object Identifier 10.1109/HIS.2001.946694

AbstractPlus | Full Text: PDF(432 KB)   IEEE CNF

Indexed by
Inspec*